

Engagement Image to Launch Task

Teachers use this resource to pique student curiosity.




Instructional

If a Bear Walks Into the Woods

Researchers in the Denali National Park in Alaska are using GPS collars to study the habits of wild grizzly bears in the park. Granny is a mother bear who researchers have been following for over 10 years. The locations on the grid below are the specific locations where Granny spent significant time during the previous day. Researchers wanted to use the data collected to approximate how far this grizzly bear may have traveled in a given day. Granny started and ended her day at location (12, -9) and moved from location to location in alphabetical order, as indicated on the grid.

Provide researchers with a clear explanation of your calculations for how far this grizzly may have traveled.

Note: One unit on the grid represents 500 ft.



Instructional

If a Bear Walks Into the Woods


Alternative Versions of the Task

More Accessible Version

Researchers in the Denali National Park in Alaska are using GPS collars to study the habits of wild grizzly bears in the park. Granny is a mother bear who researchers have been following for over 10 years. The locations on the grid below are the specific locations where Granny spent significant time during the previous day. Researchers wanted to use the data collected to approximate how far this grizzly bear may have traveled in a given day. Granny started and ended her day at location (12, -12) and moved from location to location in alphabetical order, as indicated on the grid.

Provide researchers with a clear explanation of your calculations for how far this grizzly may have traveled.

Note: One unit on the grid represents 100 meters.




More Challenging Version

Researchers in the Denali National Park in Alaska are using GPS collars to study the habits of wild grizzly bears in the park. Granny is a mother bear who researchers have been following for over 10 years. The locations on the grid below are the specific locations where Granny spent significant time during the previous day. Researchers wanted to use the data collected to approximate how far this grizzly bear may have traveled in a given day. Researchers are also trying to determine the total area of the territory Granny seems to utilize.

Granny started and ended her day at location (12, -9) and moved from location to location in alphabetical order, as indicated on the grid.

Provide researchers with a clear explanation of your calculations for how far this grizzly may have traveled and the area of her territory.

Note: One unit on the grid represents 500 ft.



Planning Sheet

If a Bear Walks Into the Woods

NY Next Generation Learning Task Alignments

Mathematical Practices: MP.2 MP.4 MP.6 MP.7

Grade 8 Content Standards: NY-8.G.B.8

NY Next Generation Learning Standards and Evidence

NY-8.G.B.8

Apply the Pythagorean Theorem to find the distance between two points in a coordinate system.

Exemplars Task-Specific Evidence

This task requires students to find the diagonal distance between points on a coordinate plane, using the Pythagorean Theorem, to determine how far a bear travels throughout its day.

Underlying Mathematical Concepts

- Solving for unknowns in equations
- Scaling
- Pythagorean Theorem

Possible Problem-Solving Strategies

- Solving for unknowns in equations
- Scaling
- Pythagorean Theorem


Possible Mathematical Vocabulary/Symbolic Representation

- Average
- Constant rate
- Coordinate plane
- Coordinate point
- Exponent
- Hypotenuse
- Legs
- Perfect square
- Pythagorean Theorem
- Pythagorean triple
- Radicals
- Right angle
- Right triangle
- Scale
- Similar figures
- Square root
- Substitution
- Sum
- Unit rate
- x-axis
- y-axis

Possible Solutions


Granny traveled at least 42,900 feet.

The horizontal and vertical distance between points makes the legs of a right triangle between each set of



Area Model of the Pythagorean Theorem

The relationship between the sides can be modeled on grid paper or using an open area.



	A to B	B to C	C to D	D to E	E to A
Longer Leg Square (square units)	$24 \cdot 24 = 576$	$24 \cdot 24 = 576$	$15 \cdot 15 = 225$	$12 \cdot 12 = 144$	$15 \cdot 15 = 225$
Shorter Leg Square (square units)	$7 \cdot 7 = 49$	$5 \cdot 5 = 25$	$8 \cdot 8 = 64$	$9 \cdot 9 = 81$	$5 \cdot 5 = 25$
Hypotenuse Square (square units)	$576 + 49 = 625$	$144 + 25 = 169$	$225 + 64 = 289$	$144 + 81 = 225$	$225 + 25 = 250$
Hypotenuse Length (units)	25	13	17	15	15.8


Apply the Pythagorean Theorem

	A to B	B to C	C to D	D to E	E to A
Length of Longer Leg (units)	24	12	15	12	15
Length of Shorter Leg (units)	7	5	8	9	5
Pythagorean Theorem	$24^2 + 7^2 = c^2$ $576 + 49 = c^2$ $625 = c^2$	$12^2 + 5^2 = c^2$ $144 + 25 = c^2$ $169 = c^2$	$15^2 + 8^2 = c^2$ $225 + 64 = c^2$ $289 = c^2$	$12^2 + 9^2 = c^2$ $144 + 81 = c^2$ $225 = c^2$	$15^2 + 5^2 = c^2$ $225 + 25 = c^2$ $250 = c^2$
Hypotenuse (units)	25	13	17	15	15.8

Instructional

Similar Figures (for point D to E)

The length of the hypotenuse (c) has to be greater than the length of each leg (a and b).



(not drawn to scale)

Guess and Check

The length of the hypotenuse (c) has to be greater than the length of each leg (a and b).

Point A to B

Longer Leg (a)	a^2	Shorter Leg (b)	b^2	Hypotenuse	c^2	$a^2 + b^2 = c^2$	Accuracy
24	576	7	49	25	625	$576 + 49 = 625$	Correct

Point B to C

Longer Leg (a)	a^2	Shorter Leg (b)	b^2	Hypotenuse	c^2	$a^2 + b^2 = c^2$	Accuracy
12	144	5	25	13	169	$144 + 25 = 169$	Correct

Point C to D

Longer Leg (a)	a^2	Shorter Leg (b)	b^2	Hypotenuse	c^2	$a^2 + b^2 = c^2$	Accuracy
15	225	8	64	16	256	$225 + 64 \neq 256$	Too Low
∴	∴	∴	∴			$225 + 64 = 289$	Correct

Engagement Image to Launch Task

Teachers use this resource to pique student curiosity.



Summative

Scary Reunion

A team of marine biologists are studying sharks in the Caribbean. The team has anchored their research vessel near the island of South Caicos. At 9 a.m., the team tagged two sharks with radio transmitters and released them. At 2 p.m., the team noted the location of the two sharks.

New locations:

Shark 1: Located 45 miles north and 60 miles west.

Shark 2: Located 36 miles south and 77 miles east.

If the team wanted to pull up the anchor at 2 p.m. and be in the same location as one of the sharks by 7 p.m., how fast would the research vessel need to travel to be in a location near one of the sharks? Assume each shark maintains its current speed and direction.

Provide a clear explanation of your calculations for the team.

Planning Sheet

Scary Reunion

NY Next Generation Learning Task Alignments

Mathematical Practices: MP.1 MP.2 MP.4 MP.6

Grade 6 Content Standards: NY-8.G.B.8

NY Next Generation Standards and Evidence

NY-8.G.B.8

Apply the Pythagorean Theorem to find the distance between two points in a coordinate system.

Exemplars Task-Specific Evidence

This task requires students to use the Pythagorean theorem to find how far two sharks will travel and how fast the vessel needs to go to catch up to either one.

Underlying Mathematical Concepts

- Solving for unknowns in equations
- Pythagorean Theorem
- Finding and applying unit rates

Possible Problem-Solving Strategies

- Pythagorean Theorem
- Area model

Possible Mathematical Vocabulary/Symbolic Representation


- Constant rate
- Unit rate
- Perfect square
- Right triangle
- Legs
- Hypotenuse
- Pythagorean Theorem
- Substitution
- Pythagorean triple
- Square root
- Exponent
- Sum

Possible Solutions

The research vessel needs to travel 30 miles per hour to be in the same location as Shark 1 or 34 miles per hour to be in the same location as Shark 2 at 7 p.m.

Students may use a variety of strategies and solution paths to determine how far each shark is from the boat at 2 p.m. and how fast the vessel needs to travel to reach the sharks at 7 p.m.

The solution below is based on each shark's given location and the time they travel in 5 hours. Their location at 7 p.m. (10 hours) could also be used instead and is just double the distances for 5 hours.



Shark 1 traveled 75 miles in 5 hours.

Shark 2 traveled 85 miles in 5 hours.

Distance from the Boat to each Shark's Location

Apply the Pythagorean Theorem

Shark 1

$$a^2 + b^2 = c^2$$

$$60^2 + 45^2 = c^2$$

$$3,600 + 2,025 = c^2$$

$$5,625 = c^2$$

$$c = \sqrt{5,625} = 75 \text{ miles}$$

Shark 2

$$a^2 + b^2 = c^2$$


$$36^2 + 77^2 = c^2$$

$$1,296 + 5,929 = c^2$$

$$7,225 = c^2$$


$$c = \sqrt{7,225} = 85 \text{ miles}$$

Apply the Pythagorean Theorem



$$3,600 + 2,025 = 5,625$$

$$c = \sqrt{5,625} = 75 \text{ miles}$$



$$1,296 + 5,929 = 7,225$$

$$c = \sqrt{7,225} = 85 \text{ miles}$$

Speed of the Research Vessel

The sharks will travel for another 5 hours at their current rate. This means the vessel needs to travel twice as fast as the sharks to catch up to them.

OR

Shark 1

$$75 \text{ miles} \div 5 \text{ hours} = 15 \text{ miles per hour}$$

$$15 \text{ mph} \times 10 \text{ hours} = 150 \text{ miles}$$

$$\text{Vessel speed: } 150 \text{ miles} \div 5 \text{ hours} = 30 \text{ miles per hour}$$

Shark 2


$$85 \text{ miles} \div 5 \text{ hours} = 17 \text{ miles per hour}$$

$$17 \text{ mph} \times 10 \text{ hours} = 170 \text{ miles}$$

$$\text{Vessel speed: } 170 \text{ miles} \div 5 \text{ hours} = 34 \text{ miles per hour}$$

Surround and Subtract

Shark 1



Area of Large Square:

$$105 \cdot 105 = 11,025 \text{ square miles}$$

Area of Each Triangle:

$$(45 \cdot 60) \div 2 = 1,350 \text{ square miles}$$

Area of all 4 Triangles:

$$1,350 \cdot 4 = 5,400 \text{ square miles}$$


Area of Hypotenuse Square (shaded area):

$$11,025 - 5,400 = 5,625 \text{ square miles}$$

Side Length of Hypotenuse Square (c)

$$= \sqrt{5,625} = 75 \text{ miles}$$

Shark 2



Area of Large Square:

$$113 \cdot 113 = 12,769 \text{ square miles}$$

Area of Each Triangle:

$$(36 \cdot 77) \div 2 = 1,386 \text{ square miles}$$

Area of all 4 Triangles:

$$1,386 \cdot 4 = 5,544 \text{ square miles}$$

Area of Hypotenuse Square (shaded area)

$$12,769 - 5,544 = 7,225 \text{ square miles}$$

Side Length of Hypotenuse Square (c)

$$= \sqrt{7,225} = 85 \text{ miles}$$

Possible Connections


- The Meow Safe Fencing Company's estimate is \$423.20 more than the expected cost.
- Determine the area of the roaming space (432 sq units or 388,800 sq ft).
- The roaming area has a perimeter of 1,040 yards.
- The Meow Safe Fencing Company charges \$2.67 per yard of electric fencing.
- Maru could maximize the area and spend less money on fencing if she made the roaming area a rectangle instead of an irregular shape.
- Relate to a similar task and state a math link.
- Cost for fencing can be stated algebraically: $C = 0.89f$.
- C = total cost of fencing for a property
- f = total feet needed for fencing

Novice Scoring Rationale

Criteria and Performance Level	Rationales
Problem Solving <i>Apprentice</i>	The student's strategy of constructing a graph to show the location of each shark would work but the student does not correctly plot the points nor calculate the actual distance traveled. The students answers of "a team of marine biologists will need to travel 45 miles per hour to be in the same location of shark 1" and "the marine biologists will need to travel 51 miles per hour to see shark 2" are incorrect.
Reasoning & Proof <i>Novice</i>	The student does not demonstrate understanding of the underlying concepts of finding the distance traveled using a coordinate plane or the Pythagorean Theorem. There is no justification for reasoning present and arguments are made with no mathematical basis.
Communication <i>Apprentice</i>	The appropriate use of formal math language is minimal with miles per hour and graph. The student makes no attempt to provide a written account of their approach for finding 45 miles per hour or 51 miles per hour.
Connections <i>Novice</i>	The student does not make a mathematical connection about their solution.
Representation <i>Apprentice</i>	The student attempts to make a coordinate graph but does not accurately plot the location of shark 1, does not include labels, does not use it to find the distance or speed traveled.

Novice

P/S	R/P	Com	Con	Rep	A/Level
A	N	A	N	A	N



The team of Marine Biologists will need to travel 45 miles per hour to be in the same location of shark 1. The Marine Biologists will need to travel 51 miles an hour to see shark 2. That is if they wanted to be in the same location at 7 P.M. because of my work that I showed above with the graph. Shark 1- 45 mph
Shark 2- 51 mph

Apprentice Student 1 Scoring Rationale

Criteria and Performance Level	Rationales
Problem Solving <i>Apprentice</i>	<p>The student's strategy of using the Pythagorean Theorem works to solve the first part of the task. The student's answer for the first part of the task is correct, "Shark #2 @ 2 pm = 17 mph" and "Shark #1 @ 2 pm = 15 mph." The student provides no evidence of their strategy that therefore converting the Shark #1 speed of 15 mph to the boat needing to go 30 mph.</p>
Reasoning & Proof <i>Apprentice</i>	<p>The student demonstrates correct reasoning for some of the underlying concepts of the task, such as using the Pythagorean Theorem to calculate the distance traveled by each shark at 2 pm, "$362 + 77^2 = 7225$, $\sqrt{7225} = 85$" and "$452 + 60^2 = 5625$, $\sqrt{5625} = 75$." The student does not show correct reasoning for calculating the speed of shark or vessel. The student does not provide mathematical justification for "$85 \div 5 = 17$ mph", "$75 \div 5 = 15$ mph", and "they'll have to go 30 miles per hour."</p>
Communication <i>Apprentice</i>	<p>The student attempts to make an organized and sequenced response, but it is incomplete. The does not communicate their approach including the use of the Pythagorean Theorem, the formula for speed, or why the boat will have to go 30 mph. The appropriate use of formal math language is minimal including fast, mph, slower, miles per hour.</p>
Connections <i>Novice</i>	<p>The student's connection is contextually irrelevant, "Shark One is slower so it will be easier to catch" as it does not explore the concept of the formula for speed.</p>
Representation <i>Apprentice</i>	<p>The student attempts to construct a coordinate grid to investigate the location of the shark after 5 hours. The student does not provide any labels for the data provided on the grid or for the units on the x and y coordinates.</p>


Apprentice Student 1

P/S	R/P	Com	Con	Rep	A/Level
A	A	A	N	A	A

Scary Reunion

Question Statement: How fast does the team need to in order to catch up to the sharks?

What I knew: Two sharks were tagged at 9am
Work:



Explanation:

Shark One is slower so it will be easier to catch. If they're going to catch the shark at 7 they'll have to go 30 miles per hour.

Shark #1 @ 2pm
 $45^2 + 60^2 = 5625$
 $\sqrt{5625} = 75$
 $75 \div 5 = 15$
15 mph

Summative

Apprentice Student 2 Scoring Rationale


Criteria and Performance Level	Rationales
Problem Solving <i>Apprentice</i>	<p>The student makes mistakes in determining how far the sharks traveled. The student correctly uses the Pythagorean Theorem for incorrect values of the distances traveled by each shark. The student correctly uses the formula for speed but arrives at an incorrect answer due to their previous mistake. The student incorrectly states "The boat would have to go 17.1 or 17 mph to be near shark 1 at 7 pm" and "The boat would have to go 19.3 or 19 mph to be near shark 2 at 7 pm."</p>
Reasoning & Proof <i>Practitioner</i>	<p>The student demonstrates correct reasoning of the Pythagorean Theorem, "$452 + 1652 = c^2$" and "$362 + 1902 = c^2$". The student correctly uses the formula for speed, "speed = distance \div time" to provide mathematical justification for the speed of the sharks, "$171 \div 10 = 17.1$ mph", and "$193 \div 10 = 19.3$ mph."</p>
Communication <i>Apprentice</i>	<p>The student attempts to construct an organized, sequenced and labeled response but is inconsistent on defining each step of their approach. The student does not explain why they used "$60 + 45 = 105$" and "$36 + 77 = 113$" to determine how far each shark traveled in the first five hours.</p>
Connections <i>Apprentice</i>	<p>The student attempts to make a mathematically relevant connection, "I realized that I need to find the hypotenuse first." This connection is relevant but does not explore or clarify how this would change their approach or final answer.</p>
Representation <i>Apprentice</i>	<p>The student constructs multiple diagrams to help them solve the problem and to portray their thinking. The diagrams appropriately and accurately represent the student's approach that illustrates where mathematical misconceptions occurred.</p>

Apprentice Student 2

P/S	R/P	Com	Con	Rep	A/Level
A	P	A	A	P	A


Scary Revision

~ The question is asking me how fast a research vessel would have to travel if they wanted to be in the same place as a Shark by 7 pm.



$60 + 45 = 105 \rightarrow$ Shark traveled 105 miles in 5 hours.

★ Sharks continue at the same



$$45^2 + 165^2 = c^2$$


$$2025 + 27225 = c^2$$

$$\sqrt{29250} = \sqrt{c^2}$$

$$c \approx 171$$


Shark 1: 171 miles NW

distance/time in 10 hours
 $171 \div 10 = 17.1 \text{ mph}$



$36 + 77 = 113 \rightarrow$ Shark traveled 113 miles in 5 hours.

★ Speed and same direction



$$36^2 + 190^2 = c^2$$

$$1296 + 36100 = c^2$$

$$\sqrt{37396} = \sqrt{c^2}$$

$$c \approx 193$$

Shark 2: 193 miles SE

distance/time in 10 hours
 $193 \div 10 = 19.3 \text{ mph}$

Pythagorean theorem: $a^2 + b^2 = c^2$
Speed = distance/time

The boat would have to go 17.1 or 17 mph to be near shark 1 at 7 pm.

The boat would have to go 19.3 or 19 mph to be near shark 2 at 7 pm.

I realized that I need to find the hypotenuse first, this is rough draft / fist draft.

Practitioner Student 1 Scoring Rationale

Criteria and Performance Level	Rationales
Problem Solving <i>Practitioner</i>	<p>The student's strategy of plotting the position of each shark on a coordinate grid and using the Pythagorean Theorem to calculate the distance traveled in the first 5 hours works to solve the task. The student's answer of the boat needing to travel 30 mph to catch shark 1 and 34 mph to catch shark 2 is correct.</p>
Reasoning & Proof <i>Practitioner</i>	<p>The student shows understanding that the Pythagorean Theorem can be used to calculate the distance each shark traveled, "$45^2 + 60^2 = 5,625 = c^2$, $c = 75$ miles." The student correctly calculates the speed of each shark, "$75 \div 5 = 15$ mph" and "$85 \div 5 \text{ hrs} = 17$ mph" and then determines the speed of the boat "which is double the distance at 2 pm."</p>
Communication <i>Practitioner</i>	<p>The student correctly identifies the problem to be solved in their opening statement, describes their approach in an organized and coherent response, and states a correct conclusion. Appropriate formal math language such as Pythagorean Theorem, mph, distance, graph, double, constant rate is used to share and clarify ideas.</p>
Connections <i>Expert</i>	<p>The student makes a mathematically relevant connection by exploring the concept of a "constant rate of 15 mph". The student uses this connection to determine to double the speed of the boat to catch the shark in 5 hours.</p>
Representation <i>Practitioner</i>	<p>The student's coordinate grid is appropriate and accurate for determining the location of the shark after 5 hours and after 10 hours. The student uses the coordinate grid to analyze the relationship between the distance traveled in the first 5 hours and in the second five hours. All necessary labels are provided and the entered data is correct.</p>


Practitioner Student 1

P/S	R/P	Com	Con	Rep	A/Level
P	P	P	P	E	P

Scary Reunion

How fast would the research vessel need to travel to be in a location near one of the sharks by 7 PM?

Shark 1: 45 miles north, 60 miles west After 5 hours
 Shark 2: 36 miles South, 77 miles east After 5 hours



We use Pythagorean theorem to find the distance traveled

Shark 1 $a^2 + b^2 = c^2$
 $45^2 + 60^2 = 5,625$

$\sqrt{5,625} = 75 \text{ miles}$

$75 \div 5 = 15$

Speed of Shark 1 = 15 mph

(We divide by 5
 bc this is the location
 of the shark after 5 hours)

(speed is distance (miles)
 divided by time (hours))

Shark 2

$36^2 + 77^2 = 7,225$

$\sqrt{7,225} = 85 \text{ miles}$

$85 \div 5 = 17$

speed of shark 2 =

17 mph

Practitioner Student 2 Scoring Rationale

Criteria and Performance Level	Rationales
Problem Solving <i>Practitioner</i>	<p>The student's strategy of drawing diagrams to show the shark's journey, using the Pythagorean Theorem to calculate the sharks' distance traveled in 5 hours, and the formula for speed effectively solves the task. The student's answer of needing to travel 30 mph to be near shark 1 and to go 34 mph to be near shark 2 is correct.</p>
Reasoning & Proof <i>Practitioner</i>	<p>The student correctly applies the Pythagorean Theorem to calculate the distance traveled by each shark, "$60^2 + 45^2 = c^2$, $c = 75$ miles" and "$362 + 77^2 = c^2$, $c = 85$ miles". The student recognized that they needed to "double(d) their distance" to determine the total distance traveled by the boat. The student also correctly uses the formula for finding "speed = distance \div time" to correctly find how fast the boat needs to travel in 5 hours.</p>
Communication <i>Practitioner</i>	<p>The student correctly identifies the problem, describes the steps to the solution, and states a correct conclusion in the last paragraph. Appropriate formal math language such as Pythagorean Theorem, speed, distance, time, hypotenuse, right triangles, 90° turns, formula, doubled, mph are used to share and clarify ideas.</p>
Connections <i>Practitioner</i>	<p>The student notes the regularity that "they swam that distance in 5 hours (9 am - 2 pm), but they actually had 10 hours (9 am - 7 pm) to swim so I doubled their distance." The student makes an important observation that sharks "wouldn't make 90° turns, so I found the hypotenuse, a more realistic path." The student makes a connection with what they understand in the real world about swimming behavior.</p>
Representation <i>Practitioner</i>	<p>The student uses a diagram to show the distances and directions the sharks traveled. The diagrams are labeled correctly and show that the distance traveled by the shark is likely the hypotenuse between 2 points.</p>

Practitioner Student 2

P/S	R/P	Com	Con	Rep	A/Level
P	P	P	P	P	P

Pythagorean Theorem: $a^2 + b^2 = c^2$ Scary Reunion Speed = distance ÷ time

~ The question is asking me how fast a research vessel would have to go to be near a shark at 7 pm. I will use Pythagorean theorem to determine the distance traveled.

Shark 1: 2pm 60miles

45miles

9am

$a = 60$
 $b = 45$
 $c = ?$
 $? = 75$

$60^2 + 45^2 = c^2$
 $3600 + 2025 = c^2$
 $\sqrt{5625} = \sqrt{c^2}$
 $c = 75 \text{ miles}$

Shark 1 went 75 miles in 5 hours.
That means it went 150 miles in 10 hours.

Speed = $150 \div 5$
Speed = 30 mph

Shark 2: 9am

36miles

77miles

2pm

$a = 36$
 $b = 77$
 $c = ?$
 $? = 85$

$36^2 + 77^2 = c^2$
 $1296 + 5929 = c^2$
 $\sqrt{7225} = \sqrt{c^2}$
 $c = 85 \text{ miles}$

Shark 2 went 85 miles in 5 hours.
That means it went 170 miles in 10 hours.

Speed = $170 \div 5$
Speed = 34 mph

The boat would have to go 30 mph to be near shark 1 at 7 pm. | The boat would have to go 34 mph to be near shark 2 at 7 pm.

To find my answers I had to do a number of things. First, I drew diagrams of each shark's journey. I found that they made right triangles. Since the sharks wouldn't make 90° turns, I found the hypotenuse, a more realistic path. They swam that distance in 5 hours (9am-2pm), but they actually had 10 hours (9am-7pm) to swim, so I doubled their distance. The boat only had 5 hours to reach a shark (2pm-7pm) so I divided each distance by 5. I did that because that is the formula for speed, as shown at the top of the page. That got me my two answers. 30 mph to reach Shark 1, and 34 mph to reach Shark 2.

Practitioner Student 3 Scoring Rationale

Criteria and Performance Level	Rationales
Problem Solving <i>Practitioner</i>	<p>The student's strategy of using a coordinate grid helps them recognize they need "to find the diagonal distance for each shark." The student uses the Pythagorean Theorem to calculate the diagonal distance of each shark at 2 pm, the formula for speed = distance/time to calculate the shark's speed, and then "you double the sharks speed because the vessel goes the same distance at half the time." The students answer that "for shark #1 the vessel must go 30 mph whist the vessel would have to go 34 mph to reach shark #2" is correct.</p>
Reasoning & Proof <i>Practitioner</i>	<p>The student's arguments are constructed with adequate mathematical basis. The student correctly applies the Pythagorean Theorem to calculate the distance traveled by each shark, "$60^2 + 45^2 = c^2$, $c = 75$ miles" and "$36^2 + 77^2 = c^2$, $c = 85$ miles." The student correctly justifies the speed of each shark, "$75 \text{ miles} \div 5 \text{ hours} = 15 \text{ mph}$, $85 \text{ miles} \div 5 \text{ hours} = 17 \text{ mph}$." The student also shows correct reasoning for how fast the boat would need to travel by doubling the shark's speed over 5 hours to catch up with the shark in 10 hours.</p>
Communication <i>Practitioner</i>	<p>A sense of purpose is communicated by the student in the original Question section, "If they wanted to pull up the anchor a 2 pm and end up near one of the sharks, how fast would the vessel have to average?" The student's approach is provided within the Explanation, "First I had to find the Diagonal distance for each shark" and "I then used the formula for speed = D/T to find each SHARKS speed." Appropriate formal math language such as average, location, speed, distance, time, "diagonal distance", "pathgarum therum", right triangle, formula, double, mph are used to share and clarify ideas.</p>
Connections <i>Practitioner</i>	<p>The student solves the tasks and notes the pattern "the sharks distance forms a right triangle." The student explores the relationship "the vessel needs to travel double the speed the sharks go."</p>
Representation <i>Practitioner</i>	<p>The student's use of a coordinate grid and compass rose to illustrate the position of each shark after 5 hours is appropriate and accurate. All necessary labels are provided and the information is correct.</p>

Practitioner Student 2

P/S	R/P	Com	Con	Rep	A/Level
P	P	P	P	P	P

Scary Reunion

Question

If they wanted to pull up the anchor at 2 pm and end up near one of the sharks, how fast would the vessel have to average?

Information needed

Shark locations

- Shark 1
 - 45 miles N & 60 miles W
- Shark 2
 - 36 miles S & 77 miles E

- tagged at 9 am
- Pulled anchor @ 2 pm
- Meets one of the sharks @ 7 pm
- All 5 hour difference
- Speed = $\frac{\text{Distance}}{\text{Time}}$

• $A^2 + B^2 = C^2$ (Pythagorean theorem)

C = The Diagonal Distance the shark travels

Shark #1
 $60^2 + 45^2 = C^2$
 $3600 + 2025 = C^2$
 $5625 = C^2$
 $\sqrt{5625} = \sqrt{C^2}$

C = 75 miles

Shark #2
 $36^2 + 77^2 = C^2$
 $1296 + 5929 = C^2$
 $7225 = \sqrt{C^2}$
 C = 85 miles

I noticed that you could use the Pythagorean theorem because the sharks' distance forms a right triangle.

- #1 $75 \text{ miles} \div 5 \text{ hours} = 15 \text{ mph}$ speed of shark
- #2 $85 \text{ miles} \div 5 \text{ hours} = 17 \text{ mph}$ speed of shark


$15 + 15 = 30$
 $17 + 17 = 34$

I divided by 5 because 9 am - 2 pm is 5 hrs and that's how long the sharks traveled for

You double the sharks speed because the vessel goes the same distance in half the time

Explanation:

First I had to find the Diagonal distance for each Shark. Then I used the known fact that the times are 5 hrs a part. I then used the formula for $\text{Speed} = \frac{D}{T}$ to find each Shark's speed. Since the boat starts late, and the sharks go double the distance, the vessel needs to travel double the speed the sharks go. This ultimately gives 30 mph (Shark 1) and 34 mph (Shark 2). This is the speed the vessel needs to travel.



Answer, For shark #1 the vessel must go 30 mph whilst the vessel would have to go 34 mph to reach Shark #2

Expert Scoring Rationale

Criteria and Performance Level	Rationales
Problem Solving <i>Expert</i>	<p>The student's strategy of drawing a diagram using the provided directional information works to find the distance traveled by the sharks in 5 hours and 10 hours. The student uses their diagram to show that there would be two congruent triangles creating a doubling of the distance traveled. The student's alternate strategy uses the Pythagorean Theorem to calculate the distance the shark traveled in the first 5 hours and then doubling it to find its distance at 7 pm. The student's answer of the boat needing to travel 30 mph to catch shark 1 and 34 mph to catch shark 2 is correct. The student recognizes that the shark is likely to travel twice the distance in twice the time to determine how far the shark will have traveled by 7 pm.</p>
Reasoning & Proof <i>Expert</i>	<p>The student demonstrates correct reasoning by using Pythagorean theorem to find distance traveled on a coordinate grid, $a^2 + b^2 = c^2$. The student also uses the speed formula to find the correct speed the boat will need to travel to catch both sharks in 5 hours, "Shark 1: $150/5 = 30$, 30 miles per hour to catch the shark" and "Shark 2: $170/5 = 34$, 34 miles per hours to catch the shark. The student utilizes their diagram as evidence to support their conclusion of the distance traveled by the shark at 5 hours and 10 hours.</p>
Communication <i>Expert</i>	<p>The student uses a methodical, organized and sequenced response to communicate their approach. The student correctly identifies the problem, describes the steps to the solution, and states a correct conclusion. Insight is communicated about an efficient strategy when the student states "The sharks will double their distance by 7 pm." The student utilizes their insight to construct the congruent triangles and to move from "$x = 75$ miles" to "$2x = 150$ miles" to find the total distance needed to travel. Appropriate math language, such as diagram, location, difference, double, distance, Pythagorean Theorem, hypotenuse, miles, time, miles per hour, speed is used rigorously to share and clarify ideas.</p>
Connections <i>Expert</i>	<p>The student uses several alternative strategies for finding the distance traveled and the speed required to make a mathematically relevant math connection. The student explains the phenomena that "the boat has to travel at double the speed of the sharks, because it travels double the distance in the same amount of time."</p>
Representation <i>Expert</i>	<p>The student analyzes the relationships between the distance the sharks travel in 5 hours and 10 hours by using congruent triangles to show the total distance traveled. The student uses the diagram to clarify that doubling the time doubles the distance traveled.</p>

Summative

Expert Page 1


P/S	R/P	Com	Con	Rep	A/Level
E	E	E	E	E	E

Scary Reunion

A team of marine biologists are studying sharks, how fast would the team's research vessel need to travel in order to catch a shark by 7:00 pm if they leave at 2:00 pm?

I am going to make a diagram, as this will help me visualize the shark locations and come up with a solution.

Strategy 1:



To find the necessary speed, I need to divide distance (150 mi, 170 mi) by time (5 hours)

Shark 1: $\frac{150}{5} = 30$ 30 miles per hour to catch the shark

Shark 2: $\frac{170}{5} = 34$ 34 miles per hour to catch the shark.

Speed of Shark 1 = $\frac{75}{5} = 15 \text{ mph}$
 $15 \cdot 2 = 30$ Boat travels 30 mph
 Speed of Shark 2 = $\frac{85}{5} = 17 \text{ mph}$
 $17 \cdot 2 = 34$ Boat travels 34 mph

The boat has to travel at double the speed of the sharks, because it travels double the distance in the same amount of time.

Expert Page 2

Scary Reunion Explanation

I started solving this problem by making a diagram that represents the location of the sharks in relation to the research boat. Shark 1 was 45 miles north and 60 miles west, and Shark 2 was 36 miles south and 77 miles east. Because the shark's travel pattern creates a right triangle, I was able to use the Pythagorean theorem to find the hypotenuses of the two triangles. Shark 1 was 75 miles away and Shark 2 was 85 miles away. At 9:00 am, the sharks were released and traveled their respective distances by 2:00 pm (a 5 hour difference). By 7:00 pm (when the researchers have to catch the shark by), the sharks will have doubled their distance so the researchers have to travel 150 miles for shark 1 and 170 miles for shark 2 (both in 5 hours). Dividing distance by time, I get the necessary speed for shark 1 to be 30 miles per hour and the necessary speed for shark 2 to be 34 miles per hour. Another way I did it was to compare the speed of the sharks to the boat speed. Shark 1 travels 75 miles in 5 hours, so its speed is 15 mph. The boat has to be double that, because it travels double the distance in the same time. Therefore, the necessary speed for the boat for shark 1 again turns out to be 30 mph. For shark 2, its speed is 17 mph ($\frac{85}{5}$), so the boat's speed has to be 34 mph.